

H&B PETROLEUM COMPANY, INC.
ROCKAWAY, NEW JERSEY
973-664-0144
FAX 973-664-9811
EMERGENCY PHONE: 973-777-0300

SOLUBLE OILS		Material Safety Data Sheet	
HABCOOL 312 EMULSION			
Product Name: 747 SOLUBLE OIL	Effective Date: 08/01/12	Page: 1	

HMIS Rating:

Health: 1 Flammability: 1 Reactivity: 0 Personal Protection: B

1) INGREDIENTS: (% wt., unless otherwise noted)

CHEMICAL NAME	CAS #	%
Heavy Naphthenic, severely hydrotreated, chemically neutralized oil	64742-52-5	70-100

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). In addition, other substances not "Hazardous" per this OSHA Standard may be listed. Where proprietary ingredient shows, the identity may be made available as provided in this standard.

2) PHYSICAL DATA:

Boiling Point: 105° C.
Vapor Pressure: Not Determined
Vapor Density: Not Determined
Solubility In Water: Complete/Forms emulsion
pH: @ 20:1 in water: 9.0 ± 0.3
Sp. Gravity: 0.90 ± 0.01
Appearance: Dark amber liquid
Odor: Bland

3) FIRE AND EXPLOSION HAZARD DATA:

Flash Point: 355° F.
Method Used: COC

FLAMMABLE LIMITS:

LFL: Not Determined
UFL: Not Determined

EXTINGUISHING MEDIA: Water spray, foam or carbon dioxide

FIRE & EXPLOSION HAZARDS: Intense heat may cause drums to rupture. Cool fire-exposed surfaces.

FIRE-FIGHTING EQUIPMENT: Treat as hot oil. Firefighters should wear NIOSH-approved self-contained breathing apparatus.

4) REACTIVITY DATA:

STABILITY: (conditions to avoid) Stable under normal use and storage

INCOMPATIBILITY: (specific materials to avoid) Strong oxidizers

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may produce asphyxiants.

HAZARDOUS POLYMERIZATION: Will not occur

5) ENVIRONMENTAL AND DISPOSAL INFORMATION:

ACTION TO TAKE FOR SPILLS/LEAKS: Treat as oil spill. Contain spill, collect onto inert absorbent. Do not flush into drain or sewers. Place in a DOT container for disposal.

DISPOSAL METHOD: Dispose of in accordance with federal, state and local regulations.

SOLUBLE OILS HABCOOL 312	Material Safety Data Sheet	
Product Name: 747 SOLUBLE OIL	Effective Date: 08/01/12	Page 2

6) HEALTH HAZARD DATA:

EYE: Contact may cause irritation.
SKIN CONTACT: Prolonged contact may cause irritation.
SKIN ABSORPTION: Not likely to occur
INGESTION: Small amounts ingested incidental to normal handling are not likely to cause injury; larger quantities ingested may cause injury.
INHALATION: Inhalation of vapors or mist may be irritating to respiratory passages.
SYSTEMIC (other target organ) EFFECTS: None known
TERATOLOGY (birth defects): No adverse effects expected
REPRODUCTIVE EFFECTS: No adverse effects expected
MUTAGENICITY (effects on genetic material): No adverse effects expected
CARCINOGENICITY: IARC: NO NTP: NO OSHA: NO

7) FIRST AID:

EYES: Flush with large amounts of water for 15 minutes. If irritation persists, consult a physician.
SKIN: Wash off with soap in flowing water or shower.
INGESTION: Obtain medical assistance.
INHALATION: Remove to fresh air. If symptoms persist, consult a physician.
NOTE TO PHYSICIAN: Treatment of overexposure should be directed toward the control of symptoms and the clinical condition.

8) HANDLING PRECAUTIONS:

EXPOSURE GUIDELINE: Heavy Naphthenic, severely hydrotreated chemically neutralized oil (Mist):
OSHA PEL: 5 mg/m³
VENTILATION: General room ventilation should be satisfactory. Local exhaust ventilation may be necessary if misting is generated.
RESPIRATORY PROTECTION: None normally required. If mist is in excess of 5 mg/m³, use NIOSH-approved respirator.
SKIN PROTECTION: Oil-resistant gloves for prolonged or repeated contact
EYE PROTECTION: Safety glasses

9) ADDITIONAL INFORMATION:

SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:
Normal precautions common to good manufacturing practices should be followed in handling and storing. Store away from food. Wash hands before eating, drinking or smoking and after handling. Use as directed.

REGULATORY INFORMATION: (Not meant to be all-inclusive--selected regulations represented).

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws and regulations. See MSD Sheet for health and safety information.

H&B PETROLEUM OIL
973-664-0144
EMERGENCY NUMBER: 973-777-0300

SOLUBLE OILS Material Safety Data Sheet HABCOOL 312 EMULSION	
Product Name: 747 SOLUBLE OIL	Effective Date: 08/01/12 Page: 3

TOXIC SUBSTANCES CONTROL ACT (TSCA):

The components of this product are listed on the TSCA inventory.

This product contains the toxic chemical or chemicals listed below, which are subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act of 1986 ("SARA") and the requirements of 40 CFR part 372.
None

This notice must not be detached from the foregoing MSDS. If the MSDS is copied for any reason, including distribution, this notice must also be copied and accompany all redistributed MSDS'. Failure to do so may subject you to penalties under law.

This product contains the following ingredient(s) which are regulated under the Clean Air Act Section 112 hazardous air pollutants and is subject to all reporting requirements of CERCLA (Superfund). None.

10) TRANSPORTATION INFORMATION:

PROPER SHIPPING NAME: Non-regulated

DOT HAZARD CLASS: Non-regulated